



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	▼ for C1.7						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Entrez
PubMed

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show: 20	Items 1-20 of 22				Page 1 of 2		Select page: 1 2	

PubMed
Services

- ☐ 1: Johnson LA, Goldfarb RH, Mathew PA. Related Articles

Regulation of IFN-gamma production following 2B4 activation in human NK cells.
In Vivo. 2000 Sep-Oct;14(5):625-9.
PMID: 11125547 [PubMed - indexed for MEDLINE]

- ☐ 2: Chuang SS, Kim MH, Johnson LA, Albertsson P, Kitson RP, Nannmark U, Goldfarb RH, Mathew PA. Related Articles

2B4 stimulation of YT cells induces natural killer cell cytolytic function and invasiveness.
Immunology. 2000 Jul;100(3):378-83.
PMID: 10929061 [PubMed - indexed for MEDLINE]

- ☐ 3: Helfet DL, Shonnard PY, Levine D, Borrelli J Jr. Related Articles

Minimally invasive plate osteosynthesis of distal fractures of the tibia.
Injury. 1997;28 Suppl 1:A42-7; discussion A47-8.
PMID: 10897286 [PubMed - indexed for MEDLINE]

- ☐ 4: Kubin MZ, Parshley DL, Din W, Waugh JY, Davis-Smith T, Smith CA, Macduff BM, Armitage RJ, Chin W, Cassiano L, Borges L, Petersen M, Trinchieri G, Goodwin RG. Related Articles

Molecular cloning and biological characterization of NK cell activation-inducing ligand, a counterstructure for CD48.
Eur J Immunol. 1999 Nov;29(11):3466-77.
PMID: 10556801 [PubMed - indexed for MEDLINE]

- ☐ 5: Peritt D, Sesok-Pizzini DA, Schretzenmair R, Macgregor RR, Valiante NM, Tu X, Trinchieri G, Kamoun M. Related Articles

C1.7 antigen expression on CD8+ T cells is activation dependent: increased proportion of C1.7+CD8+ T cells in HIV-1-infected patients with progressing disease.
J Immunol. 1999 Jun 15;162(12):7563-8.
PMID: 10358213 [PubMed - indexed for MEDLINE]

- ☐ 6: Tangye SG, Lazetic S, Woollatt E, Sutherland GR, Lanier LL, Phillips JH. Related Articles, Nucleotide, OMIM, Protein

Cutting edge: human 2B4, an activating NK cell receptor, recruits the protein tyrosine phosphatase SHP-2 and the adaptor signaling protein SAP.
J Immunol. 1999 Jun 15;162(12):6981-5.
PMID: 10358138 [PubMed - indexed for MEDLINE]

- ☐ 7: Weiss L, Roux A, Garcia S, Demouchy C, Haeflner-Cavaillon N, Kazatchkine MD, Gougeon ML. Related Articles

Related
Resources

Persistent expansion, in a human immunodeficiency virus-infected person, of V beta-restricted CD4+CD8+ T lymphocytes that express cytotoxicity-associated molecules and are committed to produce interferon-gamma and tumor necrosis factor-alpha.

J Infect Dis. 1998 Oct;178(4):1158-62.

PMID: 9806050 [PubMed - indexed for MEDLINE]

- ☐ **8:** van Emmerik NE, Knoop CJ, Vaessen LM, Balk AH, Mochtar B, Claas FH, Weimar W. Related Articles

C1.7 monoclonal antibody designates high-avidity CD4+ cytotoxic T lymphocytes involved in clinical heart rejection.

Transplantation. 1998 Jul 15;66(1):135-8.

PMID: 9679837 [PubMed - indexed for MEDLINE]

- ☐ **9:** Zhang Y. Related Articles

Observation of curative effects of huatuojiaji in the treatment of 300 cases of apoplexy.

J Tradit Chin Med. 1996 Jun;16(2):117-20.

PMID: 9389137 [PubMed - indexed for MEDLINE]

- ☐ **10:** Robertson MJ, Cochran KJ, Cameron C, Le JM, Tantravahi R, Ritz J. Related Articles

Characterization of a cell line, NKL, derived from an aggressive human natural killer cell leukemia.

Exp Hematol. 1996 Feb;24(3):406-15.

PMID: 8599969 [PubMed - indexed for MEDLINE]

- ☐ **11:** Chiva LM, Ergeneli M, Santisteban J. Related Articles

Salmonella abscess of the ovary.

Am J Obstet Gynecol. 1995 Jan;172(1 Pt 1):215-6.

PMID: 7847540 [PubMed - indexed for MEDLINE]

- ☐ **12:** Valiante NM, Trinchieri G. Related Articles

Identification of a novel signal transduction surface molecule on human cytotoxic lymphocytes.

J Exp Med. 1993 Oct 1;178(4):1397-406.

PMID: 8376943 [PubMed - indexed for MEDLINE]

- ☐ **13:** Berger LR, Keyser AW, Tobias PV. Related Articles

Brief communication: Gladysvale: first early hominid site discovered in South Africa since 1948.

Am J Phys Anthropol. 1993 Sep;92(1):107-11.

PMID: 8238287 [PubMed - indexed for MEDLINE]

- ☐ **14:** Dolfini E, Dasdia T, Perletti G, Romagnoni M, Piccinini F. Related Articles

Analysis of calcium-dependent protein kinase-C isoenzymes in intrinsically resistant cloned lines of LoVo cells: reversal of resistance by kinase inhibitor 1-(5-isoquinoliny)sulfonyl 2-methylpiperazine.

Anticancer Res. 1993 Jul-Aug;13(4):1123-7.

PMID: 8394671 [PubMed - indexed for MEDLINE]

- ☐ **15:** Kobayashi M, Suzuki K, Nagasawa S, Mimaki Y. Related Articles

Purification of toxic saponins from *Nartheicum asiaticum* Maxim.

J Vet Med Sci. 1993 Jun;55(3):401-7.
PMID: 8357912 [PubMed - indexed for MEDLINE]

☐ **16:** Lin JN, Wang KL, Chuang JH.

Related Articles

The efficacy of Kasai operation for biliary atresia: a single institutional experience.
J Pediatr Surg. 1992 Jun;27(6):704-6. Review.
PMID: 1501027 [PubMed - indexed for MEDLINE]

☐ **17:** Saika T.

Related Articles

[Immunological study of induction of metallothionein in bladder cancers]
Nippon Hinyokika Gakkai Zasshi. 1992 May;83(5):643-9. Japanese.
PMID: 1495202 [PubMed - indexed for MEDLINE]

☐ **18:** Yamamoto H, Blaas P, Nicholson-Weller A, Hansch GM.

Related Articles

Homologous species restriction of the complement-mediated killing of nucleated cells.
Immunology. 1990 Aug;70(4):422-6.
PMID: 1697561 [PubMed - indexed for MEDLINE]

☐ **19:** D'Cruz OJ, Haas GG Jr, Lambert H.

Related Articles

Evaluation of antisperm complement-dependent immune mediators in human ovarian follicular fluid.
J Immunol. 1990 May 15;144(10):3841-8.
PMID: 2332633 [PubMed - indexed for MEDLINE]

☐ **20:** Folena-Wasserman G, Poehland BL, Yeung EW, Staiger D, Killmer LB, Snader K, Dingerdissen JJ, Jeffs PW.

Related Articles

Kibdelins (AAD-609), novel glycopeptide antibiotics. II. Isolation, purification and structure.
J Antibiot (Tokyo). 1986 Oct;39(10):1395-406.
PMID: 3781910 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-20 of 22			Page 1 of 2		Select page: 1 2

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

6/1/2002 10:02:11 AM 172.167.1.121



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	▼ for C1.7						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Entrez
PubMed

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show: 20	Items 1-20 of 22				Page 1 of 2		Select page: 1 2	

PubMed
Services

- ☐ 1: Johnson LA, Goldfarb RH, Mathew PA. Related Articles

Regulation of IFN-gamma production following 2B4 activation in human NK cells.
In Vivo. 2000 Sep-Oct;14(5):625-9.
PMID: 11125547 [PubMed - indexed for MEDLINE]

- ☐ 2: Chuang SS, Kim MH, Johnson LA, Albertsson P, Kitson RP, Nannmark U, Goldfarb RH, Mathew PA. Related Articles

2B4 stimulation of YT cells induces natural killer cell cytolytic function and invasiveness.
Immunology. 2000 Jul;100(3):378-83.
PMID: 10929061 [PubMed - indexed for MEDLINE]

- ☐ 3: Helfet DL, Shonnard PY, Levine D, Borrelli J Jr. Related Articles

Minimally invasive plate osteosynthesis of distal fractures of the tibia.
Injury. 1997;28 Suppl 1:A42-7; discussion A47-8.
PMID: 10897286 [PubMed - indexed for MEDLINE]

- ☐ 4: Kubin MZ, Parshley DL, Din W, Waugh JY, Davis-Smith T, Smith CA, Macduff BM, Armitage RJ, Chin W, Cassiano L, Borges L, Petersen M, Trinchieri G, Goodwin RG. Related Articles

Molecular cloning and biological characterization of NK cell activation-inducing ligand, a counterstructure for CD48.
Eur J Immunol. 1999 Nov;29(11):3466-77.
PMID: 10556801 [PubMed - indexed for MEDLINE]

- ☐ 5: Peritt D, Sesok-Pizzini DA, Schretzenmair R, Macgregor RR, Valiante NM, Tu X, Trinchieri G, Kamoun M. Related Articles

C1.7 antigen expression on CD8+ T cells is activation dependent: increased proportion of C1.7+CD8+ T cells in HIV-1-infected patients with progressing disease.
J Immunol. 1999 Jun 15;162(12):7563-8.
PMID: 10358213 [PubMed - indexed for MEDLINE]

- ☐ 6: Tangye SG, Lazetic S, Woollatt E, Sutherland GR, Lanier LL, Phillips JH. Related Articles, Nucleotide, OMIM, Protein

Cutting edge: human 2B4, an activating NK cell receptor, recruits the protein tyrosine phosphatase SHP-2 and the adaptor signaling protein SAP.
J Immunol. 1999 Jun 15;162(12):6981-5.
PMID: 10358138 [PubMed - indexed for MEDLINE]

- ☐ 7: Weiss L, Roux A, Garcia S, Demouchy C, Haeffner-Cavaillon N, Kazatchkine MD, Gougeon ML. Related Articles

Related
Resources

Persistent expansion, in a human immunodeficiency virus-infected person, of V beta-restricted CD4+CD8+ T lymphocytes that express cytotoxicity-associated molecules and are committed to produce interferon-gamma and tumor necrosis factor-alpha.

J Infect Dis. 1998 Oct;178(4):1158-62.

PMID: 9806050 [PubMed - indexed for MEDLINE]

- ☐ 8: van Emmerik NE, Knoop CJ, Vaessen LM, Balk AH, Mochtar B, Claas FH, Weimar W. Related Articles

C1.7 monoclonal antibody designates high-avidity CD4+ cytotoxic T lymphocytes involved in clinical heart rejection.

Transplantation. 1998 Jul 15;66(1):135-8.

PMID: 9679837 [PubMed - indexed for MEDLINE]

- ☐ 9: Zhang Y. Related Articles

Observation of curative effects of huatuojiaji in the treatment of 300 cases of apoplexy.

J Tradit Chin Med. 1996 Jun;16(2):117-20.

PMID: 9389137 [PubMed - indexed for MEDLINE]

- ☐ 10: Robertson MJ, Cochran KJ, Cameron C, Le JM, Tantravahi R, Ritz J. Related Articles

Characterization of a cell line, NKL, derived from an aggressive human natural killer cell leukemia.

Exp Hematol. 1996 Feb;24(3):406-15.

PMID: 8599969 [PubMed - indexed for MEDLINE]

- ☐ 11: Chiva LM, Ergeneli M, Santisteban J. Related Articles

Salmonella abscess of the ovary.

Am J Obstet Gynecol. 1995 Jan;172(1 Pt 1):215-6.

PMID: 7847540 [PubMed - indexed for MEDLINE]

- ☐ 12: Valiante NM, Trinchieri G. Related Articles

Identification of a novel signal transduction surface molecule on human cytotoxic lymphocytes.

J Exp Med. 1993 Oct 1;178(4):1397-406.

PMID: 8376943 [PubMed - indexed for MEDLINE]

- ☐ 13: Berger LR, Keyser AW, Tobias PV. Related Articles

Brief communication: Gladysvale: first early hominid site discovered in South Africa since 1948.

Am J Phys Anthropol. 1993 Sep;92(1):107-11.

PMID: 8238287 [PubMed - indexed for MEDLINE]

- ☐ 14: Dolfini E, Dasdia T, Perletti G, Romagnoni M, Piccinini F. Related Articles

Analysis of calcium-dependent protein kinase-C isoenzymes in intrinsically resistant cloned lines of LoVo cells: reversal of resistance by kinase inhibitor 1-(5-isoquinolinylsulfonyl) 2-methylpiperazine.

Anticancer Res. 1993 Jul-Aug;13(4):1123-7.

PMID: 8394671 [PubMed - indexed for MEDLINE]

- ☐ 15: Kobayashi M, Suzuki K, Nagasawa S, Mimaki Y. Related Articles

Purification of toxic saponins from *Narthecium asiaticum* Maxim.

J Vet Med Sci. 1993 Jun;55(3):401-7.
PMID: 8357912 [PubMed - indexed for MEDLINE]

☐ **16:** Lin JN, Wang KL, Chuang JH.

Related Articles

The efficacy of Kasai operation for biliary atresia: a single institutional experience.
J Pediatr Surg. 1992 Jun;27(6):704-6. Review.
PMID: 1501027 [PubMed - indexed for MEDLINE]

☐ **17:** Saika T.

Related Articles

[Immunological study of induction of metallothionein in bladder cancers]
Nippon Hinyokika Gakkai Zasshi. 1992 May;83(5):643-9. Japanese.
PMID: 1495202 [PubMed - indexed for MEDLINE]

☐ **18:** Yamamoto H, Blaas P, Nicholson-Weller A, Hansch GM.

Related Articles

Homologous species restriction of the complement-mediated killing of nucleated cells.
Immunology. 1990 Aug;70(4):422-6.
PMID: 1697561 [PubMed - indexed for MEDLINE]

☐ **19:** D'Cruz OJ, Haas GG Jr, Lambert H.

Related Articles

Evaluation of antisperm complement-dependent immune mediators in human ovarian follicular fluid.
J Immunol. 1990 May 15;144(10):3841-8.
PMID: 2332633 [PubMed - indexed for MEDLINE]

☐ **20:** Folena-Wasserman G, Poehland BL, Yeung EW, Staiger D, Killmer LB, Snader K, Dingerdissen JJ, Jeffs PW.

Related Articles

Kibdelins (AAD-609), novel glycopeptide antibiotics. II. Isolation, purification and structure.
J Antibiot (Tokyo). 1986 Oct;39(10):1395-406.
PMID: 3781910 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-20 of 22			Page 1 of 2		Select page: 1 2

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

4/28/02 1:14 PM



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	▼ for C1.7						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Entrez
PubMed

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show: 20	Items 1-20 of 22				Page 1 of 2		Select page: 1 2	

PubMed
Services

- ☐ 1: Johnson LA, Goldfarb RH, Mathew PA. Related Articles
Regulation of IFN-gamma production following 2B4 activation in human NK cells.
In Vivo. 2000 Sep-Oct;14(5):625-9.
PMID: 11125547 [PubMed - indexed for MEDLINE]

- ☐ 2: Chuang SS, Kim MH, Johnson LA, Albertsson P, Kitson RP, Nannmark U, Goldfarb RH, Mathew PA. Related Articles
2B4 stimulation of YT cells induces natural killer cell cytolytic function and invasiveness.
Immunology. 2000 Jul;100(3):378-83.
PMID: 10929061 [PubMed - indexed for MEDLINE]

Related
Resources

- ☐ 3: Helfet DL, Shonnard PY, Levine D, Borrelli J Jr. Related Articles
Minimally invasive plate osteosynthesis of distal fractures of the tibia.
Injury. 1997;28 Suppl 1:A42-7; discussion A47-8.
PMID: 10897286 [PubMed - indexed for MEDLINE]

- ☐ 4: Kubin MZ, Parshley DL, Din W, Waugh JY, Davis-Smith T, Smith CA, Macduff BM, Armitage RJ, Chin W, Cassiano L, Borges L, Petersen M, Trinchieri G, Goodwin RG. Related Articles
Molecular cloning and biological characterization of NK cell activation-inducing ligand, a counterstructure for CD48.
Eur J Immunol. 1999 Nov;29(11):3466-77.
PMID: 10556801 [PubMed - indexed for MEDLINE]

- ☐ 5: Peritt D, Sesok-Pizzini DA, Schretzenmair R, Macgregor RR, Valiante NM, Tu X, Trinchieri G, Kamoun M. Related Articles
C1.7 antigen expression on CD8+ T cells is activation dependent: increased proportion of C1.7+CD8+ T cells in HIV-1-infected patients with progressing disease.
J Immunol. 1999 Jun 15;162(12):7563-8.
PMID: 10358213 [PubMed - indexed for MEDLINE]

- ☐ 6: Tangye SG, Lazetic S, Woollatt E, Sutherland GR, Lanier LL, Phillips JH. Related Articles, Nucleotide, OMIM, Protein
Cutting edge: human 2B4, an activating NK cell receptor, recruits the protein tyrosine phosphatase SHP-2 and the adaptor signaling protein SAP.
J Immunol. 1999 Jun 15;162(12):6981-5.
PMID: 10358138 [PubMed - indexed for MEDLINE]

- ☐ 7: Weiss L, Roux A, Garcia S, Demouchy C, Haeflner-Cavaillon N, Kazatchkine MD, Gougeon ML. Related Articles

Persistent expansion, in a human immunodeficiency virus-infected person, of V beta-restricted CD4+CD8+ T lymphocytes that express cytotoxicity-associated molecules and are committed to produce interferon-gamma and tumor necrosis factor-alpha.

J Infect Dis. 1998 Oct;178(4):1158-62.

PMID: 9806050 [PubMed - indexed for MEDLINE]

- ☐ **8:** van Emmerik NE, Knoop CJ, Vaessen LM, Balk AH, Mochtar B, Claas FH, Weimar W. Related Articles

C1.7 monoclonal antibody designates high-avidity CD4+ cytotoxic T lymphocytes involved in clinical heart rejection.

Transplantation. 1998 Jul 15;66(1):135-8.

PMID: 9679837 [PubMed - indexed for MEDLINE]

- ☐ **9:** Zhang Y. Related Articles

Observation of curative effects of huatuojiaji in the treatment of 300 cases of apoplexy.

J Tradit Chin Med. 1996 Jun;16(2):117-20.

PMID: 9389137 [PubMed - indexed for MEDLINE]

- ☐ **10:** Robertson MJ, Cochran KJ, Cameron C, Le JM, Tantravahi R, Ritz J. Related Articles

Characterization of a cell line, NKL, derived from an aggressive human natural killer cell leukemia.

Exp Hematol. 1996 Feb;24(3):406-15.

PMID: 8599969 [PubMed - indexed for MEDLINE]

- ☐ **11:** Chiva LM, Ergeneli M, Santisteban J. Related Articles

Salmonella abscess of the ovary.

Am J Obstet Gynecol. 1995 Jan;172(1 Pt 1):215-6.

PMID: 7847540 [PubMed - indexed for MEDLINE]

- ☐ **12:** Valiante NM, Trinchieri G. Related Articles

Identification of a novel signal transduction surface molecule on human cytotoxic lymphocytes.

J Exp Med. 1993 Oct 1;178(4):1397-406.

PMID: 8376943 [PubMed - indexed for MEDLINE]

- ☐ **13:** Berger LR, Keyser AW, Tobias PV. Related Articles

Brief communication: Gladysvale: first early hominid site discovered in South Africa since 1948.

Am J Phys Anthropol. 1993 Sep;92(1):107-11.

PMID: 8238287 [PubMed - indexed for MEDLINE]

- ☐ **14:** Dolfini E, Dasdia T, Perletti G, Romagnoni M, Piccinini F. Related Articles

Analysis of calcium-dependent protein kinase-C isoenzymes in intrinsically resistant cloned lines of LoVo cells: reversal of resistance by kinase inhibitor 1-(5-isoquinolinylsulfonyl) 2-methylpiperazine.

Anticancer Res. 1993 Jul-Aug;13(4):1123-7.

PMID: 8394671 [PubMed - indexed for MEDLINE]

- ☐ **15:** Kobayashi M, Suzuki K, Nagasawa S, Mimaki Y. Related Articles

Purification of toxic saponins from *Nartheicum asiaticum* Maxim.

J Vet Med Sci. 1993 Jun;55(3):401-7.
PMID: 8357912 [PubMed - indexed for MEDLINE]

☐ **16:** Lin JN, Wang KL, Chuang JH.

Related Articles

The efficacy of Kasai operation for biliary atresia: a single institutional experience.
J Pediatr Surg. 1992 Jun;27(6):704-6. Review.
PMID: 1501027 [PubMed - indexed for MEDLINE]

☐ **17:** Saika T.

Related Articles

[Immunological study of induction of metallothionein in bladder cancers]
Nippon Hinyokika Gakkai Zasshi. 1992 May;83(5):643-9. Japanese.
PMID: 1495202 [PubMed - indexed for MEDLINE]

☐ **18:** Yamamoto H, Blaas P, Nicholson-Weller A, Hansch GM.

Related Articles

Homologous species restriction of the complement-mediated killing of nucleated cells.
Immunology. 1990 Aug;70(4):422-6.
PMID: 1697561 [PubMed - indexed for MEDLINE]

☐ **19:** D'Cruz OJ, Haas GG Jr, Lambert H.

Related Articles

Evaluation of antisperm complement-dependent immune mediators in human ovarian follicular fluid.
J Immunol. 1990 May 15;144(10):3841-8.
PMID: 2332633 [PubMed - indexed for MEDLINE]

☐ **20:** Folena-Wasserman G, Poehland BL, Yeung EW, Staiger D, Killmer LB, Snader K, Dingerdissen JJ, Jeffs PW.

Related Articles

Kibdelins (AAD-609), novel glycopeptide antibiotics. II. Isolation, purification and structure.
J Antibiot (Tokyo). 1986 Oct;39(10):1395-406.
PMID: 3781910 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-20 of 22			Page 1 of 2		Select page: 1 2

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

4/28/02 10:23:42 AM 172192 192816